




Hardware and accessories






Hardware & Accessories

Assure that your installations and designs are completed in professional fashion by utilizing Stylmark's Hardware and Accessories. This catalog represents a collection of these items, which can also be found throughout the pages of our product catalogs in various applications. Don't accept anything less than Stylmark quality when choosing or replacing these items.

Curving	2
Angles	3
Bracket Hardware	5
Channels	6
Flat Bars and Inserts	8
Locks/Latches	10
Pulls	11
Rolling Door Components	12
Shelf Standards and Brackets	16
Tees	19
Tubes - Round, Square & Rectangular	19
Miscellaneous	20

Curving

Bring it all together with a few carefully placed curves. Stylmark is able to curve virtually all of our products to meet your radius requirements. Simply provide us with dimensions as indicated below and watch your design come to life!



Required Information:

- Radius (IR)
- Arc Length (S)
- Chord (c) or Included Angle (α)
- Straight Length (L)








Notes:

- Provide AutoCAD® or SolidWorks drawing if available

Angles

unit: mm


PART #	A LENGTH	A THICKNESS	B LENGTH	B THICKNESS
110030	12.7	1.6	12.7	1.6
110034	19.1	1.6	19.1	1.6
110090	9.5	1.6	22.2	3.2
110150	38.1	3.2	38.1	3.2
110159	12.7	1.6	25.4	1.6
110165	25.4	1.6	25.4	1.6
110167	50.8	3.2	50.8	3.2
110168	19.1	3.2	38.1	3.2
110180	11.1	1.6	15.9	1.6
110182	9.5	1.6	31.8	1.6
110293	25.4	1.6	63.5	1.6
110306	38.1	3.2	38.1	3.2
110451	22.2	1.6	22.2	1.6
110728	14.3	1.6	38.9	1.6
110737	6.4	1.6	25.4	1.6
120059	7.9	1.2	15.9	1.2
120062	13.5	1.6	22.2	3.2




√ = finished surface
 Drawings are not actual size

Angles


Part # 110167




Part # 110168




Part # 110180




Part # 110182




Part # 110293




Part # 110306




Part # 110451




Part # 110728




Part # 110737



Part # 120059



Part # 120062




√ = finished surface
Drawings are not to scale

Bracket Hardware

Part # 510089


Steel Mounting Bracket Assembly

Designed for mounting #110107 and 110192 to wood end of a showcase or cabinet. Includes two brackets and screws.




Part # 510238

Steel Miter Bracket and Screws
Designed to discreetly secure 90° mitered corners for extrusion #110153. Assembly #510248 works with extrusion #110196.




Part # 510246



Steel Wedge Bracket Assembly
Used to secure 90° mitered corners for Part #s 110198, 110300, 110403. Includes four brackets, backplates, and screws.




Part # 520005
Bracket Assembly for Mirror Frames




Steel Miter Bracket for Reflector Shells
Part # 510126 For 90° shell
Part # 510127 For 135° shell




Part # 570003
Leveler Assembly
Used to assure easy adjustability.



Part # 570004
Angle Bracket
Used to attach panels to posts. Anodized to match.




Part # 570013
Pivot Hinge Assembly
Gravity hinge for door panels not exceeding 35 pounds. Brass plated.




Drawings are not to scale

Channels


PART #	A	B	THICKNESS
110022	14.3	15.9	1.6
110023	20.6	15.9	1.6
110024	9.5	11.1	1.6
110026	14.3	11.1	-
110080	19.1	25.4	1.6
110162	19.1	30.2	1.2
110251	7.9	7.9	1.6
110315	38.1	-	-
110358	31.8	50.8	3.2
110359	50.8	-	3.2
110360	50.8	25.4	3.2
110361	25.4	25.4	3.2
110413	101.6	19.1	-
110461	25.4	50.8	3.2
110577	12.7	9.5	-
110650	12.7	14.3	1.6
110683	19.1	42.9	1.6
110691	6.4	-	1.6
170008	31.8	25.4	1.6




Part # 110022
14.3 Single Channel




Part # 110023
20.6 Single Channel




Part # 110024
Edge Molding




Part # 110026
Edge Molding



Part # 110080
Top U Channel
















Part # 110162
30.2 Top Channel



√ = finished surface
Drawings are not to scale

Channels



- Notes:**
- *Part #110683 stock length is 3048.
 - *Part #110315 stock is special order.


√ = finished surface
Drawings are not to scale

Flat Bars and Inserts


PART #	A	B
110050	25.4	12.7
110051	50.8	12.7
110099	19.1	1.6
110166	25.4	3.2
110171	31.8	2.4
110194	27.0	6.4
110229	88.9	3.2
110305	177.8	1.8
110391	11.1	3.2
110398	11.1	3.2
110419	76.2	3.2
110538	42.1	3.2
110655	165.1	6.4
110665	12.7	6.4
110693	12.7	4.8
110709	34.1	12.7
110787	38.1	3.2
110788	19.1	6.4
110810	6.4	6.4
110818	6.4	3.2
150012	79.4 [□]	2.4




Part # 110050




Part # 110051




Part # 110099




Part # 110166




Part # 110171




Part # 110194




Part # 110229



*Part # 110305




Part # 110391




√ = finished surface
Drawings are not to scale

Flat Bars and Inserts

Part # 110398




Part # 110419




Part # 110538




*Part # 110655




Part # 110665




Part # 110693




Part # 110709




Part # 110787*




Part # 110788




Part # 110810




Part # 110818



Part # 119006
Vinyl track insert
works with #110035



Part # 150012



- Notes:**
- *Part #110305 stock length is 2438.4.
 - *Part #110655 stock length is 3048.
 - *Part #110787 is special order only.


√ = finished surface
Drawings are not to scale

Locks and Latches

Stylmark provides a Kenstan K-41 chrome finish lock as a standard component. Stylmark provides fabrication for Best lock 2S & 4S series. Stylmark shoe #110350 (see page 15) is designed to accommodate the Best 4S series lock. Best Locks not supplied by Stylmark.


Part # 510187

Chrome T-Bolt Lock
The Kenstan K-45 is typically used with our security by-pass door system.




Part # 510199

Chrome Cam Lock
Kenstan K-13 lock can be used with #110153 hinged door frame extrusion. One key available.




Part # 511040

Chrome Plunger Lock
Small profile lock installs in the #110012 and #110067 shoes. Six key types are available.




Part # 510245

Push Latch
This magnetic push latch is an alternate to the #510349 latch.




Part # 510808

Lock
The Kenstan K-41 showcase lock installs in the #110140, 110350, and 110412 shoes. Five key types are available. The key stays in lock in open position.




Part # 510249

Offset Cam Lock
Use with showcase frame #710000 series, top or bottom hinged door.




Part # 510269

'L' Cam Lock
For use with showcase frame #710000 series, side-hinged door.



Part # 510349


Push Latch
This mechanical push latch is used with hinged door or transparency frames.




Pulls

Stylmark's door and drawer pulls are available in 3.7 meter stock lengths that can be fabricated to any length. Many styles are available in pre-cut sizes—edges on these are finished because they're anodized after fabrication. A cut size of 95.3mm includes two counter sunk holes for easy installation.


Part # 110104: 3.7m
Part # 410101: 95.3mm Pre-Fabricated
 4° Slant Top Pull for 19.1mm Drawer




Part # 110105: 3.7m
Part # 410103: 95.3mm Pre-Fabricated
 4° Slant Top Pull for 20.6mm Drawer




Part # 110108: 3.7m
Part # 410114: 95.3mm Pre-Fabricated
 4° Slope Pull for 19.1mm Drawer




Part # 110111: 3.7m
Part # 410123: 95.3mm Pre-Fabricated
 Drawer Pull with Label Holder




Part # 110027: 3.7m
Part # 410001: 69.9mm Pre-Fabricated Edge Pull
 for use with 6.4mm panels that accept #119000 series glazing vinyl.




Part # 110029: 3.7m
Part # 410002: 69.9mm Pre-Fabricated Edge Pull
 for use with 6.4mm panels that accept #119000 series glazing vinyl.




Part # 110028: 3.7m




Part # 110069: 3.7m




***Part # 110531:** 3.7m



Part # 110258: 3.7m
 Can be easily and securely installed into a groove on the edge of a panel.



Part # 510016:
 Finger pull kit comes with two pulls, one bumper, and screws. A bumper prevents the pull from striking the opposite door. Available in satin natural and satin black finishes.




√ = finished surface
 Drawings are not to scale

Notes: *Part #110531 is special order.


Rolling Door Components

Bottom Tracks


Part # 110009*
Drop-In Track




Part # 110019*
Double Track




Part # 110021*
Glide Track




Part # 110035
Slide Track




Part # 110063
Double Channel Track




Part # 110072
Slide Track




Part # 110078
Channel Track




Part # 110079*
Wood Door Track



Part # 110178
Security Track



Part # 110208
Security Track



= finished surface
Drawings are not to scale

Notes: • *These parts do not include a mechanical finish.

Rolling Door Components

Bumpers

Adhesive-Backed Bumpers
12.7 Diameter, 4.0 High

Part # 221014 Gray
Part # 221015 Clear



Part # 510006: Standard Door Bumper Assembly
Neoprene bumper with screw and nut attaches to rear of front door to prevent extruded pulls from striking door. Can also be used with flush pulls or finger pulls that are ground into glass doors to prevent pinched finger.




Heavy Duty Door Stop Assemblies

510014: 12.7 x 31.8 x 12.7, installs in #110007


510015: 12.7 x 31.8 x 19.1, installs in #110008

Neoprene stops have two screws. They attach to the bottom or top opening channels when installing three or more doors on two tracks.




Track Headers


Part # 110007




Part # 110008




Part # 110036




Part # 110064




Part # 110071




Part # 110102




Part # 110343*



Part # 110372



Part # 110523



Notes: • *Part #110343 is special order only.

√ = finished surface
Drawings are not to scale

Rolling Door Components

Door Accessories

Part # 222012

Rivet


Rivet is 3.2mm in diameter with a semi-tubular oval head. Use to fasten #419030 guide to #110024 door top.



Part # 410381

Door Retainer


Stakes into bottom shoe to provide anti-jump operation. Shipped two per door. Use with #110140, 110350, or 110412 shoe.



Part # 410444

Door Retainer


Stakes into bottom shoe to provide anti-jump operation. Shipped two per door. Use with #110012 shoe only.



Part # 410454

Retainer


Inserted into wood panel to provide anti-jump. Shipped two per door. Use with #510041 wheel and #110208 track only.



Part # 419007

Top Silencing Guide


Black vinyl guide snaps on top of a 4.8 - 6.4 thick door panel.



Part # 419030

Top Guide

Rivets to extrusion #110024 at door top.




Drawings are not to scale


Rolling Door Components

Shoes


Part # 110012




Part # 110014




Part # 110066




Part # 110067




Part # 110076




Part # 110140



Part # 110350




Part # 110412



Endcap Assemblies


Cap	Shoe
510241	110140
510331	110350
510371	110412



Wheels


Part # 510001

Standard Wheel Assembly (W1)
Use with doors to 22.7 kg Press fits in #110012 shoe or 6.4 wide by 15.9 deep groove. Wheel diameter is 14.3. Wheel housing is 19.1 x 14.3 x 6.4.



Part # 510041

Heavy Duty Wheel Assembly (W5)
Use with doors to 36.3 kg Press fits in #110067, 110140, 110350, and 110412 shoes or 6.4 wide by 20.6 deep groove. Wheel diameter is 15.1. Wheel housing is 22.2 x 19.1 x 6.4.




= finished surface
Drawings are not to scale

Shelf Standards and Brackets

Aluminum Light Duty Standards and Brackets

Stylmark aluminum light duty standards and brackets are anodized to the same color and finish as other showcase components. They can also be ordered in complementary colors for contrast.


Part # 450010*
Showcase Standard
 Has slotting for conventional brackets. Slots measure 14.3 x 2.4, and are 25.4 on center.




Part # 450022*
Showcase Standard Support
 This insert for #450010 adds support and gives the standard a finished look.




Part # 550007
Foot and Cap Assembly
 Used to fasten a standard at the top and bottom of the showcase. Gray plastic.



Part # 550006: Shelf Bracket
 This aluminum shelf bracket is typically used with 6.4 glass shelving. It is available in 152.4, 203.2, 254, 304.8, 355.6, and 406.4 depths, with or without a lip.





Part #550006 - with lip





Part #550006 - without lip

Part # 450013*
Wall Standard
 Used for designs requiring wall mounted standards. Comes with pre-drilled and countersunk holes every six inches.



Steel Shelf Clips
 These shelf clips are designed with rubber grommets to cushion the glass resting on our shelf brackets. Available in chrome finish only.

Part #550013: End Clip **Part #550014: Center Clip**



Notes: • *Part numbers #450010, 450022 and 450013 can be ordered as 3.7m stock length or fabricated to length

Shelf Standards and Brackets


Aluminum Heavy Duty Standards and Brackets

Stylmark's heavy duty aluminum standards with tubular brackets are as durable as steel showcase standards and brackets, but offer the added feature of color and finish options.

Part # 450020*

Heavy Duty Standard

This standard is machined at the top and bottom to accept the #550007 foot and cap assembly. Slots measure 14.3 x 2.4, and are 25.4 on center.



Part # 450021*


Standard Insert

This insert for #450020 adds support and gives the standard a finished look.



Part # 550007


Foot and Cap Assembly
Used to fasten a standard at the top and bottom of the showcase. Gray plastic.



Part # 550010

Heavy Duty Tubular Bracket

Our heavy duty tubular bracket adds a contemporary look with the ability of supporting 9.5 to 12.7 thick glass shelves with ease. It is available in 152.4, 203.2, 254, 304.8, 355.6, and 406.4 depths.





Steel Shelf Clips

These shelf clips are designed with rubber grommets to cushion the glass resting on our tubular brackets. Available in chrome finish only.

Part #550011: End Clip

Part #550012: Center Clip



Notes:

- *Part numbers #450020 and 450021 can be ordered as 3.7m stock length or fabricated to length

Shelf Standards and Brackets

Steel Standards and Brackets


When your design requires extra strength, these Knappe and Vogt (K.V.) steel standards and brackets provide the support you need. These components have an anachrome finish and are not compatible with aluminum standards or brackets.

Steel Standard

Part # 232023: 914.4

Part # 232028: 2438.4


K.V. steel showcase standards have slotting for conventional brackets.



Part # 550009

Cap Assembly

Attaches standard at top of showcase.



Brackets

K.V. steel brackets are available in six sizes:


Part # 232006	152.4
Part # 232008	203.2
Part # 232010	254
Part # 232012	304.8
Part # 232014	355.6
Part # 232016	406.4









Part # 550008

Foot Assembly

Attaches standard at bottom of showcase.




Tees










Tubes - Round

PART #	DIAMETER	THICKNESS
110087	12.7	1.2
110263	101.6	2.4
110348	23.0	1.2
110370	23.0	SOLID
110423	12.7	1.2
110706	28.6	SOLID



Tubes - Square & Rectangular




- Notes:**
- *Part #110705 stock length is 2.44m.
 - *Part #110117 is special order only.


√ = finished surface
 Drawings are not to scale

Miscellaneous


Part # 110107
Front Frame




Part # 110127
Top Front Frame




Part # 110137
Cover Tee with
.25 Return




Part # 110192
Front Frame
with Lip




Part # 110228
Front Frame Molding




Part # 110106
Mullion




Part # 110220
Face Frame Mullion



Part # 110061
Jamb




Part # 110216
Door Stop Jamb




√ = finished surface
Drawings are not to scale

Miscellaneous


Part # 110196
Transparency Frame




Part # 110197
Z-Strip for 12.7 of 9.5
Panel




Part # 110198
Face Frame




Part # 110268
Z-Strip for 6.4 Panel




Part # 110300
Extended Face Frame




Part # 110346
Frame Clip



Part # 110403
9.5 Face Frame




Part # 110674
Shelf Sign




√ = finished surface
Drawings are not to scale

Miscellaneous


Part # 110026
Edge Molding




Part # 110153
Heavy Duty Molding




Part # 110156
Hinge Molding



Part # 110341
Edge Molding
with Leg




Part # 110164
Hinge Plate




Part # 110204
Heavy Duty
Hinge Strip




25.4 Piano Hinge*
With Holes: Part #419020
Without Holes: Part #224007



38.1 Piano Hinge*
With Holes: Part #224008
Without Holes: Part #224009



31.8 Piano Hinge with*
Unequal Legs
Without Holes: Part #310351




√ = finished surface
Drawings are not to scale


Notes: • *Stock length for piano hinges is 2.44m.

Miscellaneous


Part # 110394
6.4 Glass Shelf Edging




Part # 110395
9.5 Glass Shelf Edging




Part # 110432
25.4 Diameter Half Round
w/ 9.5 Channel




***Part # 110537**
15.9 Half Round w/Leg




Part # 110119
Security Channel




Part # 110124*
Base Channel



Part # 110122
Top and Side Glass
Support




Part # 110195
Security Top & Side
Glass Support



- Notes:**
- *Part numbers 110124 and 110125 uses #119004 glazing vinyl.
 - *Part # 110537 is special order


Miscellaneous

Part # 119001
4.8 Black Vinyl Glazing Tape




Use with glass from
4.6 - 5.1 mm thick.
No ribs inside
bottom of tape.

Part # 119003-01
5.6 Black Vinyl Glazing Tape
Part # 119003-02
5.6 Gray Vinyl Glazing Tape



Use with glass from
5.5 - 5.9 mm thick.
Two ribs inside
bottom of tape.


Part # 119004
6.4 Black Vinyl Glazing Tape




Use with glass from
5.9 - 6.4 mm thick.
Three ribs inside
bottom of tape.

FELT TAPE	
PART #	DIAMETER
226010-01 (gray)	19.1 x 1.6 x 3352.8
226010-03 (beige)	19.1 x 1.6 x 3352.8
226011-01 (gray)	44.5 x 1.6 x 2133.6
226011-03 (beige)	44.5 x 1.6 x 2133.6
226012-01 (gray)	30.2 x 1.6 x 2133.6
226012-03 (beige)	30.2 x 1.6 x 2133.6
226027-01 (gray)	14.3 x 1.6 x 2438.4

Part # 110181
135° Molding



Part # 110426
Glass End Stock Endcap



√ = finished surface
Drawings are not to scale



Flexible • Collaborative • Transformative • Solutions

For companies that need more than “just the components”,
Stylmark is a versatile manufacturer that creates the
spectrum of essential elements - to create comprehensive
and distinctive lifestyle environments.

Architectural Trim & Moldings
Backlit Displays & Transparency Frames
Complete Solutions & Specialty Fixtures
Fitting Room Systems & Mirror Kits
Framing & Partition Systems
Hardware & Accessories
Shelving
Showcases
